

Uwchland, PA



## Finding a Good Dealer and/or Installer

Both Country Estate Products and you must rely on a Country Estate Authorized Independent dealer/installer to guarantee his workmanship. Country Estate Products can be no better than the quality of the work that goes into the installation. In each area, Country Estate Products attempts to find the very best independent, professional dealer/installer to represent us.

A dealer/installer can be no better than your willingness to express your expectations. Put them in writing and make them a part of your contract. Choose a product and/or style that will meet your expectations.

Ideally, your Authorized Independent Country Estate dealer/installer is someone you know or who has installed successfully for someone you know. If this is not the case, we suggest the following:

1. Confirm the name of your Authorized Independent Country Estate dealer/installer by calling 610-458-3880. Home improvement impostors prey on those unwilling to do their homework.

2. The Country Estate warranty is not valid unless the entire installation consists of Country Estate Products. When registering your warranty, the installer must attest that he has not mixed products from other manufacturers.

3. Ask for references. Check with the Better Business Bureau.

4. Before purchasing, call 610-458-3880 for a free Country Estate Planning and Installation Guide. Or download one on our website www.countryestate.com. Study it. Specify that your Country Estate Products be installed as recommended. Remember, however, that the Installation Guide provides for regional differences.

5. Before purchasing, discuss building codes, building permits, location of underground utilities, property lines and the exact location of your new fence. Determine who is responsible for each item.

6. When the job is complete, register your warranty as provided by your official copy of the warranty.

7. Do not assume the lowest price or the warranty with the longest time period is the best value.

8. Anticipate the need for an earnest money down payment at the time you place your order. Depending on the size of the project, the dealer may require progress payments. Do not pay in full until the project is complete.

9. Work with a contract or purchase order.

These common sense procedures will help assure a trouble-free installation.





## Country Estate<sup>®</sup> Products carry the industry's finest 50 Year Warranty or Limited Lifetime Warranty.

If you find a major manufacturer's published warranty on PVC fencing that you and/or your attorney feel will better protect your investment than Country Estate's published warranty, submit your request to us in writing along with a copy of the competitor's warranty and we will warrant our product using the competitor's warranty rather than ours.

Many styles can be made using solely Country Estate Products or G-Fence Products or in combination. All Country Estate and G-Fence Products, even if used in combination, carry the same manufacturer's warranty.



## Safety, Security, and Peace of Mind for you and your family.



| Lal                  | kelai   | nd*  |       |                         |        |             |
|----------------------|---|------|-------|-------------------------|--------|-------------|
| • Ra<br>• Pi<br>• Po | :d Heights<br>ails:<br>ckets:<br>osts:<br>pol Code: |      |       | eco Top &<br>&G w/ side |        |             |
| White                | Almond  | Gray | Adobe | Emboss                  | Streak | Str. & Emb. |
| >                    | >   | >    | >     | >                       | >      | ~           |
|                      |   |      |       |                         |        |             |



- Std Heights: 4', 5', 6
  - ails: 2" x 7" Deco Bottom Rail<sup>+</sup>, 1" x 6" each side
- Capstock: 1" x 2
- Pickets: %" x 7"T&G w/ side U Channel
- Posts: 5″ x 5
- Pool Code: 5', 6'

|       | White | Almond | Gray | Adobe | Emboss | Streak | Str. & Emb. |
|-------|-------|--------|------|-------|--------|--------|-------------|
| Inlay | >     | <      | ۲    | >     | <      | >      | ~           |
| Rails | <     | <      | <    | >     | ۲      |        |             |



## Lakeland Convex

- Std Heights: 4', 5', 6
  - s: 2" x 7" Deco Bottom Rail<sup>+</sup>, 1" x 6" each side
- Capstock: 1" x 2
  - ickets: <sup>7</sup>/<sub>8</sub>" x 7"T&G w/ side U Channel
- Posts: 5″ x 5
- Pool Code: 5', 6

|       | White | Almond | Gray | Adobe | Emboss | Streak | Str. & Emb. |
|-------|-------|--------|------|-------|--------|--------|-------------|
| Inlay | >     | >      | >    | >     | >      | >      | >           |
| Rails | >     | <      | ۲    | >     | <      |        |             |

\* Shown with optional cap offering.

# Eagle Closed Top

- Std Heights: 4', 5', 6
- Rails: 2"x 3-1/2" Top Rail, 2"x 7" Deco Middle & Bottom Rail<sup>†</sup>
- Pickets: 1-1/2" x 1-1/2" topper, 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'



#### White Str. & Emb. Almond Gray Adobe Emboss Streak Inlay V 4 0 ~ 4 4 V Topper • • • ~ ~ Rails

# Eagle Scallop\*

- Std Heights: 4', 5', 6
- Rails: 2"x 3-½" Top Rail, 2"x 7" Deco Middle & Bottom Rail<sup>†</sup>
- Pickets: 1-1/2" x 1-1/2" topper, 7%" x 7" T&G w/ side U Channe
- Posts: 5" x 5"
- Pool Code: 5', 6'

|        | White | Almond | Gray | Adobe | Emboss | Streak | Str. & Emb. |
|--------|-------|--------|------|-------|--------|--------|-------------|
| Inlay  | >     | >      | >    | >     | >      | <      | >           |
| Topper | >     | >      | >    | >     |        | <      |             |
| Rails  | ~     | ~      | ~    | ~     | ~      | ~      | ~           |



# Eagle Straight\*

- Std Heights: 4', 5', 6
- Rails: 2" x 3-½"Top Rail, 2" x 7" Deco Middle & Bottom Rail
- Pickets: 1-½" x 1-½" topper, <sup>7</sup>%" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'

|        | White | Almond | Gray | Adobe | Emboss | Streak | Str. & Emb. |
|--------|-------|--------|------|-------|--------|--------|-------------|
| Inlay  | >     | >      | >    | >     | >      | >      | >           |
| Topper | •     | ~      | ~    | >     |        | ~      |             |
| Rails  | ~     | <      | ~    | ~     | ~      | ~      | <           |

\* Shown with optional cap offering.

<sup>†</sup>Aluminum insert available for additional cost.







# Nottingham Straight

|                 | <ul> <li>Std Heights: 4', 5', 6'</li> <li>Rails: 2''x 3-½"Top &amp; Middle Rail w/ 1 Aluminum insert,</li> </ul> |           |  |           |           |        |                |  |  |  |
|-----------------|--|-----------|--|-----------|-----------|--------|----------------|--|--|--|
|                 | Std Hei  | ghts: 4', | 5', 6'   |           |           |        |                |  |  |  |
|                 | • Rails:   |           | 2″ x 3-½″Top & Middle Rail w/ 1 Aluminum insert,<br>2″ x 7″ Deco Bottom Rail |           |           |        |                |  |  |  |
| • Pickets:      |  |           |  | ∕₂″ toppe | r, 1″x 6″ |        |                |  |  |  |
| • Picket Space: |  |           |  |           |           |        |                |  |  |  |
|                 | Posts:   | 5″        | 5″ x 5″  |           |           |        |                |  |  |  |
|                 | Pool Co  | ode: 5',  | 6′   |           |           |        |                |  |  |  |
|                 | White  | Almond    | Gray   | Adobe     | Emboss    | Streak | Str. &<br>Emb. |  |  |  |
| Pickets         | <  | ~         | •  | >         | >         |        |                |  |  |  |
|                 |  |           |  |           |           |        |                |  |  |  |



- Pool Code:

|         | White  | Almond | Gray | Adobe  | Emboss | Streak | Str. & Emb. |
|---------|--------|--------|------|--------|--------|--------|-------------|
| Inlay   | <      | ~      | <    | <      | <      |        |             |
| Lattice | 2D/3D* | 2D/3D* | 3D*  | 2D/3D* |        |        |             |
| Rails   | ~      | ~      | ~    | ~      | ~      | ~      | ~           |

\*3D upcharge applies

Shown with optional 2" x 6" middle rail

<sup>†</sup>Aluminum insert available for additional cost.

# Hollingsworth



- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Middle & Bottom Rail<sup>†</sup>
- Pickets: <sup>%</sup> x 7" T&G w/ side U Channel
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice\*
- Posts: 5" x 5"
- Pool Code: 6'

|         | White  | Almond | Gray | Adobe  | Emboss | Streak | Str. &<br>Emb. |
|---------|--------|--------|------|--------|--------|--------|----------------|
| Inlay   | >      | >      | >    | >      | >      | >      | >              |
| Lattice | 2D/3D* | 2D/3D* | 3D*  | 2D/3D* |        |        |                |
| Rails   | >      | ~      | >    | >      | >      | ~      | >              |

\*3D upcharge applies

## Melbourne w/ Lattice

- Std Heights: 4', 5',
- Rails: 2"x 3-½" Top Rail, 3-½"x 3-½" Middle & Bottom Rail
- Pickets:
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice\*
- Picket Space: 5-3%" (Shadowbox)
- Posts: 5" x 5'
- Pool Code: Non-Boca

|         | White  | Almond | Gray | Adobe | Emboss | Streak | Str. &<br>Emb. |
|---------|--------|--------|------|-------|--------|--------|----------------|
| Inlay   | >      | >      | >    | >     | >      |        |                |
| Lattice | 2D/3D* | 2D/3D* | 3D*  | >     |        |        |                |
| Rails   | ~      | ~      | <    | ~     |        |        |                |



## Melbourne\*

| Std | Heights: | 4′,          |
|-----|----------|--------------|
|     | Std      | Std Heights: |

• Rails: 3-½" x 3-½"Top Rail, Botte

Gray

~

~

- Pickets:
- Picket Space: 5-3/8" (Shadow

Almond

~

0

- Posts:
- Pool Code: No

White

~

-

| Str.<br>Em | . & b. |  |
|------------|--------|--|
|            |        |  |



Adobe

~

0

Emboss

~

Streak

Pickets

Rails





## Spartan Scallop\*

- Std Heights:
  - s. т, э, о
    - 2" x 3-½" Top Rail, 2" x 7" Deco Bottom Ra
  - <sup>7</sup>∕‰″ x 3″ w/ Dog Ear Ca
  - t Space: 1-¾″ &
- Posts:
- Pool Code: 5′, 6′ @ 1-¾″ space & 6′ @ 3″ spa

|         | White | Almond | Gray | Adobe | Emboss | Streak | Str. & Emb. |
|---------|-------|--------|------|-------|--------|--------|-------------|
| Pickets | >     | >      | >    | >     | >      | >      | ~           |
| Rails   | •     | ~      | >    | >     | ۲      | ~      | ~           |



## Spartan Straight\*

- Std Heights:
- 4, 5, 6
- 2" x 3-½" Top Rail, 2" x 7" Deco Bottom Rail†
- Pickets:
- Picket Space: 1-3/4" & 3"

5″ x 5″

- Posts:
- Pool Code:
- 4′, 5′, 6′ @ 1-¾″ space & 5′, 6′ @ 3″ space

|         | White | Almond | Gray | Adobe | Emboss | Streak | Str. & Emb. |
|---------|-------|--------|------|-------|--------|--------|-------------|
| Pickets | >     | >      | >    | <     | >      | <      | >           |
| Rails   | >     | >      | >    | >     | >      | >      | >           |

\* Shown with optional cap offering.

<sup>†</sup>Aluminum insert available for additional cost.

<sup>++</sup> Optional Sharp Point cap available.

# Viking Step\*

| Pickets | ~        | ~         | ~        | ~          |              | ~        |                |
|---------|----------|-----------|----------|------------|--------------|----------|----------------|
|         | White    | Almond    | Gray     | Adobe      | Emboss       | Streak   | Str. &<br>Emb. |
| • Pc    | ol Code  | : 5′, 6   | 5′@1-¾   | " space 8  | & 6' @ 3" sp | ace.     |                |
| • Pc    | osts:    | 5">       | < 5″     |            |              |          |                |
| • Pie   | cket Spa | ce: 1-³   | 4″&3″    |            |              |          |                |
| • Pie   | ckets:   |           |          | ′ w/ Pyra  | mid Cap      |          |                |
| • Ra    | ils:     | 2">       | κ 3-½″Τc | p Rail, 2' | x 7″ Deco    | Bottom R |                |
| • St    | d Height | :s: 4′, 5 | 5', 6'   |            |              |          |                |
|         |          |           |          |            |              |          |                |



# Viking Scallop\*

Rails

Pickets

Rails

~

|      | White    | Almond    | Gray     | Adobe      | Emboss      | Streak | Str. & |
|------|----------|-----------|----------|------------|-------------|--------|--------|
| • Pc | ol Code  | : 5′, 6   | 5′@1-¾   | " space &  | & 6' @ 3″   |        |        |
| • Pc | osts:    | 5″>       | < 5″     |            |             |        |        |
| • Pi | cket Spa | ce: 1-³   | 4″ or 3″ |            |             |        |        |
| • Pi | ckets:   |           |          | 'w/Pyrai   | mid Cap     |        |        |
| • Ra | ils:     | 2">       | κ 3-½″Τα | op Rail, 2 | ″ x 7″ Decc | Bottom | Rail†  |
| • St | d Height | :s: 4′, 5 | 5′, 6′   |            |             |        |        |
|      |          |           |          |            |             |        |        |

~

~

•

~



# Viking Straight\*

V

.

| • Std Heights: | 4', 5', 6'                                    |
|----------------|---|
| • Rails:       | 2″ x 3-½″ Top Rail, 2″ x 7″ Deco Bottom Rail† |
| • Pickets:     | 1-½" x 1-½" w/ Pyramid Cap                    |

|         | White | Almond | Gray | Adobe | Emboss | Streak | Str. &<br>Emb. |
|---------|-------|--------|------|-------|--------|--------|----------------|
| Pickets | >     | >      | >    | >     |        | >      |                |
| Rails   | >     | >      | >    | >     | >      | >      | ~              |



\*Shown with optional cap offering.

<sup>†</sup>Aluminum insert available for additional cost.

~

~

4





## Springfield Straight\*

- Std Heights
- Rails:
- Pickets:
- Picket Space:
- Posts:
  - ol Code: 5
- 4', 5', 6' (Measured from top of post without cap
- 1-½" x 5-½" Top and Bottom Rai
- <sup>™</sup> x 3" w/ Dog Ear Cap<sup>††</sup>
- e: 2'
  - 5″ x
    - 5', 6' (Must request Boca Spacing.

|         | White | Almond | Gray | Adobe | Emboss | Streak | Str. &<br>Emb. |
|---------|-------|--------|------|-------|--------|--------|----------------|
| Pickets | >     | >      | >    | >     | >      | >      | <              |
| Rails   | ~     | >      | ~    | ~     | ~      | ~      | ~              |



## Hannibal\*

- Std Heights:
- · I ICKELS.
  - ce: 1-¾″
  - 4″ x 4″ oi
    - 4′, 5′, 6′

| 1 |         | White | Almond | Gray | Adobe | Emboss | Streak | Str. &<br>Emb. |
|---|---------|-------|--------|------|-------|--------|--------|----------------|
| - | Pickets | ~     | ~      | ~    | ~     | ~      | ~      | ~              |
|   | Rails   | >     | >      | >    | >     | >      | >      | >              |

#### \*Shown with optional cap offering.

<sup>†</sup>Aluminum insert available for additional cost.

<sup>++</sup> Optional Sharp Point cap available.

# Lagoon 12

| • Std   | l Height | s: 4′, : | 5′, 6′** |                      |                 |        |            |
|---------|----------|----------|----------|----------------------|-----------------|--------|------------|
| • Rai   | ls:      |          |          | op & Bot<br>um inser | tom Rail v<br>t |        |            |
| • Pic   | kets:    |          | x 2″     |                      |                 |        |            |
| • Pic   | ket Spac | te: 1-3  | 4"&3"    |                      |                 |        |            |
| • Pos   | sts:     | 5″:      | x 5″     |                      |                 |        |            |
| • Po    | ol Code: | 4, 5     | 5', 6'   |                      |                 |        |            |
|         |          |          |          | 5                    |                 |        |            |
|         | White    | Almond   | Gray     | Adobe                | Emboss          | Streak | Str. & Emb |
| Pickets | >        | >        | ~        | ~                    |                 |        |            |
| Rails   | ~        | ~        | ~        | ~                    | ~               | ~      | ~          |



# Lagoon 15

| • Stc | d Height | s: 4′,  | 5′, 6′** |                       |                  |        |
|-------|----------|---------|----------|-----------------------|------------------|--------|
| • Rai | ils:     |         |          | op & Bot<br>um insert | ttom Rail w<br>t |        |
| • Pic | kets:    |         |          |                       |                  |        |
| • Pic | ket Spac | ce: 1-3 | 4″&3″    |                       |                  |        |
| • Po: | sts:     | 5″:     | x 5″     |                       |                  |        |
| • Po  | ol Code: | 4′, :   | 5', 6'   |                       |                  |        |
|       |          |         |          |                       |                  |        |
|       | White    | Almond  | Gray     | Adobe                 | Emboss           | Streak |

~

-

~

6

~



#### Lagoon 783\* • Pickets: White Almond Adobe Emboss Streak Str. & Emb. Gray Pickets • V 4 4 6 4 4 Rails ~ V ~ ~ V 4 ~



\*Shown with optional cap offering.

\*\* 6' - with Middle Rail; 5' - Middle Rail optional.

•

~

~

Pickets

Rails

~

~

~

~

|   | N       | lan                  | ches    | ter      |                      |                  |        |                |
|---|---------|----------------------|---------|----------|----------------------|------------------|--------|----------------|
|   |         | td Heigh             |         | 5′, 6′** |                      |                  |        |                |
|   | • R     | ails:                |         |          | Top & Bo<br>num inse | ottom Rail<br>rt |        |                |
| THE REPORT OF THE PARTY OF THE | • P     | ickets:              |         | ″ x 3″ & |                      |                  |        |                |
|   | • P     | icket Sp             | ace: 2' |          |                      |                  |        |                |
|   | • P     | osts:                | 5′      | ′ x 5″   |                      |                  |        |                |
|   | • P     | ool Cod              | e: 4′,  | 5', 6'   |                      |                  |        |                |
|   |         | White                | Almond  | Gray     | Adobe                | Emboss           | Streak | Str. &<br>Emb. |
|   | Pickets | <ul> <li></li> </ul> | ~       | >        | ~                    |                  |        |                |
|   | Rails   | >                    | ~       | >        | >                    | ~                | ~      | ~              |

|      |            | <b>C I</b> |              |
|------|------------|------------|--------------|
| Kens | <b>SIN</b> | otal       | $\mathbf{n}$ |
|      |            | ςισι       |              |
|      |            | _          |              |

| <ul> <li>Std Heights</li> </ul> |
|---------------------------------|
|---------------------------------|

- Rails:
  - 2" x 3-%
    - 1″ x 6″ & 1″

t Space: 1"

5″ x 5″

ol Code: 5′,

|         | White | Almond | Gray | Adobe | Emboss | Streak | Str. &<br>Emb. |
|---------|-------|--------|------|-------|--------|--------|----------------|
| Pickets | >     | ۲      | <    | >     |        |        |                |
| Rails   | <     | ٢      | <    | ~     | ~      | ~      | <              |

The manufacturer has determined which styles require an aluminum insert for structural integrity. When necessary, the aluminum insert is automatically added during production. From time to time, however, homeowners desire or specific circumstances suggest an aluminum insert be added for additional strength, which can easily be done for a nominal cost.

References to Pool Code compliance used throughout this brochure should only be used as a general guideline. Please consult your local inspector, code official or governing compliance officer to determine applicable Pool Code requirements.

This brochure contains styles and names indigenous to our service area. Generally, these styles can be modified to suit a specific request, requirement or preference. Other styles and products are available, too. For more Country Estate arbors, pergolas, fence, deck and handrail products we offer, as well as other pertinent information on Country Estate Products, please go to: www.countryestate.com

hannatia

11 11 11 11 11

# ADDITIONAL PICKET STYLES









\* Shown with optional cap offering.

11

## Dartmouth (4', 5', 6' Heights)



### Dawson<sup>\*</sup> (4', 5', 6' Heights)




### Denver<sup>\*</sup> (4', 5', 6' Heights)



Georgetown (3', 3-1/2', 4' Heights)

# CAP OPTIONS & OTHER OFFERINGS



# **Cap Options**

- A Federation
- **B** New England
- C Gothic
- D Ball Cap
- E External Flat Cap (standard)




# Mailboxes



# **EMBOSSING & STREAKING**

### **Embossing - Wood Grain Texture**



### Streaking - Wood Grain Appearance



### **Embossing & Streaking**



Actual colors may vary slightly from images shown.



### T-Rail w/ Colonial Spindles 36"H or 42"H

- Top Horizontal T-Rail
- Bottom Horizontal 2" X 3.5"
- Aluminum Horizontal Top & Bottom
- Colonial "Turned" Spindle
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe



### T-Rail w/ 1.5" x 1.5" Pickets 36"H or 42"H

- Top Horizontal T-Rail
- Bottom Horizontal 2" X 3.5"
- Aluminum Horizontal Top & Bottom
- 1.5" X 1.5" Square Picket
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe, Gray (Limited Accessories)



### 2" x 3.5" w/ 1.5" x 1.5" Pickets 36"H or 42"H

- Top Horizontal 2" X 3.5"
- Bottom Horizontal 2" X 3.5
- Aluminum Horizontal Top & Bottom
- 1.5" X 1.5" Square Picket
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe, Gray (Limited Accessories)




### *T-Rail w/ 1"x 2" Pickets*

### 36"H or 42"H

- op Horizontal T-Rail
- Bottom Horizontal 2" X 3.5'
- Aluminum Horizontal Top & Bottom
- 1" X 2" Rectangular Picke
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe, Gray (Limited Accessories)

Most Country Estate Railings meet or exceed ICC specifications listed in AC-174 and have been independently tested and verified. Review your local building codes to determine compliance. All styles available with a variety of accessories. Testing requirements may limit accessory options.



Highlander Arched Top



Custom Pergola with lattice sides



Oxford Arched Top



Vesper Rose Arched Top



#### AUTHORIZED INDEPENDENT COUNTRY ESTATE DEALER

